

Printing date 07/01/2015 Reviewed on 07/01/2015

1 Identification

- · Product identifier
- Trade name: Aluminum Alloys
 Aluminum Alloys Containing Lead
- Other Product Identifiers: 1XXX thru 7XXX Series Leaded 2001 & 6262
- · Recommended use and restriction on use
- · Recommended use: Raw materials.
- · Restrictions on use: Contact manufacturer.
- · Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

Castle Metals 1420 Kensington Road Suite 220 Oak Brook IL 60523 (847) 349-3000

Emergency telephone number: (847)-349-3000

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

· Additional information:

There are no other hazards not otherwise classified that have been identified.

0 percent of the mixture consists of ingredient(s) of unknown toxicity.

Not hazardous as delivered. Long term inhalation of product dusts formed during use is harmful.

- · Label elements
- · GHS label elements

The product is not classified as hazardous according to OSHA GHS regulations within the United States.

- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard-determining components of labeling: None.
- · Hazard statements Not Regulated
- · Precautionary statements Not Regulated
- · Hazard description:
- · WHMIS-symbols: Not hazardous under WHMIS.
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



(Contd. on page 2)



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys

Aluminum Alloys Containing Lead

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

7429-90-5	aluminum	80-99%
7440-50-8	copper	<10%
1309-48-4	magnesium oxide	<10%
7440-66-6	zinc metal	<10%
7440-48-4	cobalt Resp. Sens. 1, H334; Carc. 2, H351 Skin Sens. 1, H317	<2%
7439-89-6	iron	<2%
7439-96-5	manganese, powdered Tilde Britania Bri	<2%
7440-21-3	silicon Transition Flam. Sol. 2, H228	<2%
7440-31-5	tin	<2%
7439-92-1	lead ♦ Carc. 2, H351; Repr. 1A, H360; STOT RE 1, H372	<1%
7440-47-3	chromium	<0.5%
7440-02-0	nickel	<0.5%

Additional information:

For the listed ingredients, the identity and exact percentages are being withheld as a trade secret.

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys

Aluminum Alloys Containing Lead

(Contd. of page 2)

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

- · Danger No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Special powder for metal fires. Do not use water.

Dry sand

Graphite powder.

Copper Powder.

Dry sodium chloride

- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information No further relevant information available.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Do not breathe dust.

Avoid formation of dust.

Use personal protective equipment as required.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Pick up mechanically.

Dispose of the collected material according to regulations.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys

Aluminum Alloys Containing Lead

(Contd. of page 3)

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be regularly removed.

Use proper precautions around molten material.

· Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility:

Store away from foodstuffs.

Do not store together with acids.

Do not store together with alkalis (caustic solutions).

- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components w	rith limit values that require monitoring at the workplace:
7429-90-5 alum	inum
PEL (USA)	Long-term value: 15*; 15** mg/m³ *Total dust; ** Respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f.
TLV (USA)	Long-term value: 1* mg/m³ as Al; *as respirable fraction
EL (Canada)	Long-term value: 1.0 mg/m³ respirable, as Al
EV (Canada)	Long-term value: 5 mg/m³ aluminium-containing (as aluminium)
LMPE (Mexico)	Long-term value: 1* mg/m³ A4, *fracciòn respirable
7440-50-8 copp	er
PEL (USA)	Long-term value: 1* 0.1** mg/m³ as Cu *dusts and mists **fume
	(Contd. on page 5



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys
Aluminum Alloys Containing Lead

,		
		(Contd. of page 4)
REL (USA)	Long-term value: 1* 0.1** mg/m³	(Carman at page 1)
TIV//IICAV	as Cu *dusts and mists **fume Long-term value: 1* 0.2** mg/m³	
TLV (USA)	*dusts and mists; **fume; as Cu	
EL (Canada)	Long-term value: 1* 0.2** mg/m³	
,	*dusts and mists; **fume, as Cu	
EV (Canada)	Long-term value: 0.2* 1** mg/m³	
I MPF (Mexico)	as copper, *fume;**dust and mists Long-term value: 0.2* 1** mg/m³	
LIVII L (IVICAICO)	*humo (como Cu);**polvo y niebla (como Cu)	
1309-48-4 mag	nesium oxide	
PEL (USA)	Long-term value: 15* mg/m³	
TIV//IICAV	fume; *total particulate Long-term value: 10* mg/m³	
TLV (USA)	*as inhalable fraction	
EL (Canada)	Short-term value: 10** mg/m³	
	Long-term value: 10* 3** mg/m³ *inhalable fume;**respirable dust and fume	
EV (Canada)	Long-term value: 10 mg/m³ inhalable	
LMPE (Mexico)	Long-term value: 10* mg/m³ A4, *fracción respirable	
7440-48-4 coba	lt	
PEL (USA)	Long-term value: 0.1* mg/m³ as Co; *for metal dust and fume	
REL (USA)	Long-term value: 0.05 mg/m³ as Co; metal dust & fume	
TLV (USA)	Long-term value: 0.02; NIC - 0.02* mg/m³ BEI; *hard metals:thoracic ;NIC-A2,RSEN;as W	
EL (Canada)	Long-term value: 0.02 mg/m³ as Co; IARC 2B	
EV (Canada)	Long-term value: 0.1 mg/m³	
LMPE (Mexico)	Long-term value: 0.02 mg/m³ A3, IBE	
7439-89-6 iron		
EV (Canada)	Long-term value: 1* 5** mg/m³ as iron;*salts, water-soluble;**welding fume	
, , ,	Long-term value: 1 mg/m³	
l .	ganese, powdered	
PEL (USA)	Ceiling limit value: 5 mg/m³ as Mn	
	1	(Contd. on page 6)



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys
Aluminum Alloys Containing Lead

		(Contd. of pa
REL (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ fume, as Mn	(Conta. of pa
TLV (USA)	Long-term value: 0.02* 0.1* mg/m³ as Mn; *respirable **inhalable fraction	
EL (Canada)	Long-term value: 0.2 mg/m³ as Mn; R	
EV (Canada)	Long-term value: 0.2 mg/m³ as manganese	
LMPE (Mexico)	Long-term value: 0.2 mg/m³ como Mn	
7440-21-3 silico	on	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
LMPE (Mexico)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ (e)	
7440-31-5 tin		
PEL (USA)	Long-term value: 2 mg/m³ metal	
REL (USA)	Long-term value: 2 mg/m³	
TLV (USA)	Long-term value: 2 mg/m³ metal	
EL (Canada)	Long-term value: 2 mg/m³ metal	
EV (Canada)	Long-term value: 2* 0.1** mg/m³ *metal, oxide, inorg. compds.;**org. compds.: Skin	
LMPE (Mexico)	Long-term value: 2* mg/m³ *metal	
7439-92-1 lead		
PEL (USA)	Long-term value: 0.05* mg/m³ *see 29 CFR 1910.1025	
REL (USA)	Long-term value: 0.05* mg/m³ *8-hr TWA,excl. lead arsenate;See PocketGuideApp.C	
		(Contd. on pa



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys
Aluminum Alloys Containing Lead

		(Contd. of page
TLV (USA)	Long-term value: 0.05* mg/m³ *and inorganic compounds, as Pb; BEI	(conta. or pa
EL (Canada)	Long-term value: 0.05 mg/m³ R; IARC 2B	
EV (Canada)	Long-term value: 0.05 mg/m³ as Pb, Skin (organic compounds)	
LMPE (Mexico	Long-term value: 0.05 mg/m³ A3, IBE	
7440-47-3 chr	omium	
PEL (USA)	Long-term value: 1* 0.5** mg/m³ *metal;**inorganic compds., as Cr	
REL (USA)	Long-term value: 0.5* mg/m³ *metal+inorg.compds.as Cr;See Pocket Guide App. C	
TLV (USA)	Long-term value: 0.5 mg/m³	
EL (Canada)	Long-term value: 0.5 mg/m³ as metal	
EV (Canada)	Long-term value: 0.05 mg/m³	
LMPE (Mexico	Long-term value: 0.5 mg/m³ A4	
7440-02-0 nic	kel	
PEL (USA)	Long-term value: 1 mg/m³	
REL (USA)	Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A	
TLV (USA)	Long-term value: 1.5* mg/m³ elemental, *inhalable fraction	
EL (Canada)	Long-term value: 0.05 mg/m³ ACGIH A1, IARC 2B	
EV (Canada)	Long-term value: 1 mg/m³ Inhalable fraction	
LMPE (Mexico) Long-term value: 1.5* mg/m³ *elemental:A5, fracción inhalable	
Ingredients w	ith biological limit values:	
7440-48-4 cok	palt	
BEI (USA) 15		
	edium: urine	
	ne: end of shift at end of workweek rameter: Cobalt (background)	
₁	ıg/L	
Me	dium: blood	
	ne: end of shift at end of workweek	
Pa	rameter: Cobalt (background, semi-quantitative)	(Contd. on page



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys

Aluminum Alloys Containing Lead

(Contd. of page 7)

7439-92-1 lead

BEI (USA) 30 μg/100 ml

Medium: blood Time: not critical Parameter: Lead

10 µg/100 ml Medium: blood Time: not critical

Parameter: Lead (women of child bearing potential)

- · Additional information: No further relevant information available.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

- · Engineering controls: No further relevant information available.
- Breathing equipment:

Use respiratory protection when grinding or cutting material.

For spills, respiratory protection may be advisable.

Particulate mask should filter at least 99% of airborne particles.

· Protection of hands:

Wear gloves for the protection against mechanical hazards according to OSHA and NIOSH rules.

Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment Avoid release to the environment.
- · Risk management measures See Section 7 for additional information.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Color:
Solid material
Silver-colored
Odorless
Odor threshold:
Not determined.

PH-value:
Not applicable.

(Contd. on page 9)



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys

Aluminum Alloys Containing Lead

(Contd. of page 8)

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 227-660 °C (441-1220 °F)

Flash point: Not applicable.
 Flammability (solid, gaseous): Not determined.
 Auto-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

Vapor pressure: Not applicable.

• **Density at 20 °C (68 °F):** >2.0 g/cm³ (>16.69 lbs/gal)

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not applicable.

· Solubility in / Miscibility with

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

· Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: Heating may cause release of toxic fumes.
- · Possibility of hazardous reactions

Strong exothermic reaction with acids.

Reacts with alkali (lyes).

Violent reaction with water at high temperatures.

Reacts with halogenated compounds.

As the product is supplied it is not capable of dust explosion; however enrichment with fine dust causes risk of dust explosion.

- · Conditions to avoid Avoid acids.
- · Incompatible materials: Oxidizers, strong bases, strong acids
- · Hazardous decomposition products:

Possible in traces:

(Contd. on page 10)



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys

Aluminum Alloys Containing Lead

(Contd. of page 9)

Toxic metal oxide smoke Leadoxide vapor

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7440-48-4 cobalt

Oral LD50 6170 mg/kg (rat)

7439-92-1 lead

Oral LD50 >2000 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Based on available data, the classification criteria are not met.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· NTP (National Toxicology Program)		
7439-92-1	lead	R
7440-02-0	nickel	R

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Probable Routes of Exposure

Eye contact.

Skin contact.

· Repeated Dose Toxicity:

May cause metal fume disease.

Repeated or long-term inhalation of product dusts may cause pulmonary disease.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys

Aluminum Alloys Containing Lead

(Contd. of page 10)

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential May be accumulated in organism
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contact manufacturer for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR, ADN, IMDG, IATA Not Regulated

· UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA Not Regulated

· Transport hazard class(es)

· DOT, ADR, IATA

Class Not Regulated

· Label

· ADN/R Class: Not Regulated

· Packing group

· DOT, ADR, IMDG, IATA Not Regulated

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

(Contd. on page 12)



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys

Aluminum Alloys Containing Lead

· UN "Model Regulation": - (Contd. of page 11)

15 Regulatory information · Safety, health and environmental regulations/legislation specific for the substance or mixture · United States (USA) ·SARA · Section 355 (extremely hazardous substances): None of the ingredients is listed. · Section 313 (Specific toxic chemical listings): 7429-90-5 aluminum 7440-50-8 copper 7440-66-6 zinc metal 7440-48-4 cobalt · TSCA (Toxic Substances Control Act): All ingredients are listed. · Proposition 65 (California) · Chemicals known to cause cancer: 7440-48-4 cobalt 7439-92-1 lead 7440-02-0 nickel Chemicals known to cause reproductive toxicity for females: 7439-92-1 lead Chemicals known to cause reproductive toxicity for males: 7439-92-1 lead · Chemicals known to cause developmental toxicity: 7439-92-1 lead · Carcinogenic categories · EPA (Environmental Protection Agency) 7440-50-8 copper D 7440-66-6 zinc metal D, I, II 7439-96-5 manganese, powdered D 7439-92-1 lead B2 7440-47-3 chromium D · IARC (International Agency for Research on Cancer) 7440-48-4 cobalt 2B 7439-92-1 lead 2B 7440-47-3 chromium 3 7440-02-0 nickel (Contd. on page 13)



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys

Aluminum Alloys Containing Lead

	(t	Contd. of page 12)	
· TLV (Thre	· TLV (Threshold Limit Value established by ACGIH)		
7429-90-5	aluminum	A4	
1309-48-4	magnesium oxide	A4	
7440-48-4	cobalt	A3	
7439-92-1	lead	A3	
7440-47-3	chromium	A4	
7440-02-0	nickel	A5	
· NIOSH-Ca	(National Institute for Occupational Safety and Health)		
7440-02-0	nickel		
State Righ	nt to Know Listings		
	e ingredients is listed.		
	· Canadian substance listings:		
· Canadian	· Canadian Domestic Substances List (DSL)		
All ingredie	ents are listed.		
Canadian	Ingredient Disclosure list (limit 0.1%)		
7440-48-4	cobalt		
7439-92-1	lead		
7440-47-3	chromium		
7440-02-0	nickel		
Canadian Ingredient Disclosure list (limit 1%)			
7429-90-5	aluminum		
7440-50-8	copper		
1309-48-4	magnesium oxide		

Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 07/01/2015 / -

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

(Contd. on page 14)



Printing date 07/01/2015 Reviewed on 07/01/2015

Trade name: Aluminum Alloys

Aluminum Alloys Containing Lead

(Contd. of page 13)

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Sol. 1: Flammable solids, Hazard Category 1
Flam. Sol. 2: Flammable solids, Hazard Category 2
Resp. Sens. 1: Sensitisation - Respirat., Hazard Category 1
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1
Carc. 2: Carcinogenicity, Hazard Category 2

Repr. 1A: Reproductive toxicity, Hazard Category 1A

STOT RE 1: Specific target organ toxicity - Repeated exposure, Hazard Category 1

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com